- remeasuring, using secondary ion mass spectrometry (SIMS), the abundance of the one or more mass tags at a plurality of locations occupied by the identified one or more cells of interest, thereby generating, for each individual cell remeasured, a second set of data; and outputting the second set of data for each of the identified cells of interest.
- 15. A method of analyzing a test population of cells, comprising:
  - obtaining an array of cells on a substrate, wherein the cells are labeled with one or more mass tags and are separated from one another;
  - ii) measuring, using SIMS, the abundance of the one or more mass tags at a plurality of locations occupied by the cells, thereby generating, for each individual cell measured, a set of data;
  - iii) generating a histogram showing the distribution of the mass tags across the test population of cells; and
  - iv) comparing the histogram to a reference histogram obtained from a reference population of cells.
- 16. The method of claim 15, wherein the method further comprises:
  - v) identifying one or more cells of interest based on a threshold value for the abundance of the one or more mass tags.

- 17. The method of claim 16, wherein the threshold value is determined based on the reference histogram.
- 18. The method of claim 15, wherein the test population of cells has been contacted with a test agent and the reference population of cells has not been contacted with the test agent.
- 19. The method of claim 15, wherein the test population of cells is obtained from a subject diagnosed with a condition and the reference population of cells is obtained from a healthy subject.
- **20**. An automated system for analyzing an array of cells, the system comprising:
  - a) a SIMS system comprising a holder for retaining a substrate comprising an array of cells, wherein the cells are labeled with one or more mass tags and are separated from one another, wherein the system is configured to:
    - (i) measure the abundance of the one or more mass tags at a plurality of locations occupied by the cells of the array using SIMS;
    - (ii) generate a data set that comprises the measurements of the abundance of said one or more mass tags; and
  - (iii) output the data set; and
  - b) a computer comprising an analysis module that analyzes said data set.

\* \* \* \* \*